



首龍工業股份有限公司
SOWLONG INDUSTRIAL . CO.,LTD.




45°彎頭4LB



FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-4LB CF8(304)
- TC1916-4LB CF8M(316)



DIMENSIONS

UNIT:mm


SIZE SPEC	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D	20.5	24.0	27.5	32.5	40.0	50.0	56.0	68.5	83.5	98.0	125
L	14.5	16.5	18.0	22.0	23.5	27.5	29.0	34.0	48.0	51.0	57.0

90°彎頭9LB



FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-9LB CF8(304)
- TC1916-9LB CF8M(316)



DIMENSIONS

UNIT:mm


SIZE SPEC	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D	20.5	24.0	27.5	32.5	40.0	50.0	56.0	68.5	83.5	98.0	125
L	19.5	21.5	24.5	29.0	33.5	41.5	44.0	51.0	70.0	77.0	91.0

90°內外牙彎頭SLB



FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-SLB CF8(304)
- TC1916-SLB CF8M(316)



DIMENSIONS

UNIT:mm


SIZE SPEC	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
d	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
d1	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
L	16.0	18.0	22.0	27.5	30.5	37.0	40.0	48.5
L1	30.0	32.0	40.0	43.0	48.0	60.0	65.0	75.0
D	18.5	21.5	27.5	32.5	40.0	50.0	56.0	68.5

同徑三通TEB



FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-TEB CF8(304)
- TC1916-TEB CF8M(316)



DIMENSIONS


UNIT:mm

SIZE SPEC	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D	20.5	24.0	27.5	32.5	40.0	50.0	56.0	68.5	83.5	98.0	125
L	19.5	21.5	24.5	29.0	33.5	41.5	44.0	51.0	70.0	77.0	91.0

異徑三通TER

FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-TER CF8(304)
- TC1916-TER CF8M(316)


DIMENSIONS
UNIT:mm

SIZE SPEC	1/2"*1/4"	1/2"*3/8"	3/4"*3/8"	3/4"*1/2"
d	1/4"	3/8"	3/8"	1/2"
d1	1/2"	1/2"	3/4"	3/4"
D	18.5	21.5	24	27.5
D1	27.5	27.5	32.5	32.5
L	19.0	22.5	23.5	26.0
L1	23.5	23.5	26.5	27.5

SIZE SPEC	1"*1/2"	1"*3/4"	1 1/4"*3/4"	1 1/4"*1"
d	1/2"	3/4"	3/4"	1"
d1	1"	1"	1 1/4"	1 1/4"
D	27.5	32.5	32.5	40.0
D1	40.0	40.0	50.0	50.0
L	27.5	31.0	34.0	38.0
L1	32.0	34.0	38.5	39.0

SIZE SPEC	1 1/2" * 1"	1 1/2" * 1 1/4"	2" * 1 1/4"	2" * 1 1/2"	2 1/2" * 1 1/2"
d	1"	1 1/4"	1 1/4"	1 1/2"	2 1/2"
d1	1 1/2"	1 1/2"	2"	2"	1 1/2"
D	40.0	50.0	50.0	56.0	56.0
D1	56.0	56.0	68.5	68.5	83.5
L	37.5	42.0	46.0	50.0	57.0
L1	42.5	46.0	52.0	51.5	60.0


SIZE SPEC	2 1/2" * 2"	3" * 2"	3" * 2 1/2"	4" * 2 1/2"	4" * 3"
d	2 1/2"	3"	3"	4"	4"
d1	2"	2"	2 1/2"	2 1/2"	3"
D	68.5	68.5	83.5	83.5	98.0
D1	83.5	98.0	98.0	125	125
L	62.0	63.0	71.0	72.0	78.0
L1	63.0	69.0	76.0	89.0	90.0

四通十LB



FEATURES:

- THREAD: NPT, BSPT, PF.
- TC1915- 十LB CF8(304)
- TC1916- 十LB CF8M(316)



DIMENSIONS


UNIT:mm

SIZE SPEC	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D	20.5	24.0	27.5	32.5	40.0	50.0	56.0	68.5	83.5	98.0	125
L	19.5	21.5	24.5	29.0	33.5	41.5	48	51.0	70.0	77.0	91.0

內牙接頭FCP


FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-FCP CF8(304)
- TC1916-FCP CF8M(316)



DIMENSIONS
UNIT:mm

SIZE SPEC	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D	18.5	21.5	27.5	32.5	40.0	50.0	56.0	68.5	83.5	98.0	125
L	23.0	26.0	30.0	35.0	38.0	45.0	47.0	52.0	65.0	70.0	80.0

內外牙直管接頭M/F


FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-M/F CF8(304)
- TC1916-M/F CF8M(316)


DIMENSIONS
UNIT:mm


SIZE SPEC	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
d	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
d1	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
D	20.5	24	27.5	32.5	40.0	50.0	56.0	68.5
L	22.0	25.0	30.0	35.0	39.0	43.0	45.0	50.0

圓管塞頭RCB



FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-RCB CF8(304)
- TC1916-RCB CF8M(316)



UNIT:mm

DIMENSIONS


SIZE SPEC	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D	20.5	24.0	27.5	32.5	40.0	50.0	56.0	68.5	83.5	98.0	125
L	18.0	18.0	20.0	21.0	22.0	27.0	28.0	30.0	35.0	38.0	45.0

四角塞頭SPG



FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-SPG CF8(304)
- TC1916-SPG CF8M(316)



UNIT:mm

DIMENSIONS


SIZE SPEC	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	7.5	9.5	11.0	16.0	19.0	23.0	28.0	33.0	38.0	43.0	57.0
L	18.0	20.0	25.0	26.5	32.0	35.0	37.0	41.0	45.0	50.0	60.0

異徑內牙接頭RSB



FEATURES:

- THREAD: NPT, BSPT, PF.
- TC1915-RSB CF8(304)
- TC1916-RSB CF8M(316)



DIMENSIONS

UNIT:mm

SIZE SPEC	1/2"*1/4"	1/2"*3/8"	3/4"*3/8"	3/4"*1/2"
d	1/4"	3/8"	3/8"	1/2"
d1	1/2"	1/2"	3/4"	3/4"
D	19.0	22.5	22.5	27.5
D1	27.5	27.5	32.5	32.5
L	30.0	30.0	32.0	32.0

SIZE SPEC	1"*1/2"	1"*3/4"	1 1/4"*3/4"	1 1/4"*1"
d	1/2"	3/4"	3/4"	1"
d1	1"	1"	1 1/4"	1 1/4"
D	27.5	32.5	32.5	40.0
D1	40.0	40.0	50.0	50.0
L	35.0	35.0	40.0	40.0

SIZE SPEC	1 1/2" * 1"	1 1/2" * 1 1/4"	2" * 1 1/4"	2" * 1 1/2"	2 1/2" * 1 1/2"
d	1"	1 1/4"	1 1/4"	1 1/2"	2 1/2"
d1	1 1/2"	1 1/2"	2"	2"	1 1/2"
D	40.0	50.0	50.0	56.0	56.0
D1	56.0	56.0	68.5	68.5	83.5
L	45.0	45.0	50.0	50.0	65.0


SIZE SPEC	2 1/2" * 2"	3" * 2"	3" * 2 1/2"	4" * 2 1/2"	4" * 3"
d	2 1/2"	3"	3"	4"	4"
d1	2"	2"	2 1/2"	2 1/2"	3"
D	68.5	68.5	83.5	83.5	98.0
D1	83.5	98.0	98.0	125	125
L	65.0	65.0	70.0	80.0	80.0

六角立布HNP



FEATURES:

- THREAD: NPT, BSPT, PF.
- TC1915-HNP CF8(304)
- TC1916-HNP CF8M(316)



DIMENSIONS

UNIT:mm


SIZE SPEC	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
L	28.0	30.0	38.0	42.0	45.0	52.0	53.0	60.0	72.0	78.0	90.0
A	14.0	17.0	22.0	27.5	34.0	45.0	50.0	62.0	78.0	91.0	118
L1	11.0	12.0	15.5	17.0	17.5	21.0	21.0	24.5	28.5	31.5	37.5

内牙由任UFF



FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-UFF CF8(304)
- TC1916-UFF CF8M(316)



DIMENSIONS

UNIT:mm


SPEC \ SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
L±1.5	37.0	39.0	46.0	48.0	55.0	60.0	77.0	90.0	97.0
H±0.5	15.0	15.5	17.0	20.0	22.0	24.0	27.0	28.0	33.0
S1±0.5	25.0	31.0	37.5	47.0	52.5	65.0	80.0	93.0	118.0
S±0.5	36.0	42.5	51.0	61.5	69.5	82.0	105.0	112.0	138.0

六角卜申HB



FEATURES:

- THREAD:NPT,BSPT,PF.
- TC1915-HB CF8(304)
- TC1916-HB CF8M(316)



DIMENSIONS

UNIT:mm

SPEC \ SIZE	1/2"*1/4"	1/2"*3/8"	3/4"*1/4"	3/4"*3/8"
d	1/4"	3/8"	1/4"	3/8"
d1	1/2"	1/2"	3/4"	3/4"
A	22.0	22.0	27.5	27.5
L	22.0	22.0	24.5	24.5

SIZE SPEC	1"×1/4"	1"×3/8"	1"×1/2"	1"×3/4"
d	1/4"	3/8"	1/2"	3/4"
d1	1"	1"	1"	1"
A	34.0	34.0	34.0	34.0
L	27.5	27.5	27.5	27.5

SIZE SPEC	1 1/4"×1/4"	1 1/4"×3/8"	1 1/4"×1/2"	1 1/4"×3/4"	1 1/4"×1"
d	1/4"	3/8"	1/2"	3/4"	1"
d1	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/4"
A	45.0	45.0	45.0	45.0	45.0
L	30.0	30.0	30.0	30.0	30.0

SIZE SPEC	1 1/2"×1/4"	1 1/2"×3/8"	1 1/2"×1/2"	1 1/2"×3/4"
d	1/4"	3/8"	1/2"	3/4"
d1	1 1/2"	1 1/2"	1 1/2"	1 1/2"
A	50.0	50.0	50.0	50.0
L	32.0	32.0	32.0	32.0

SIZE SPEC	1 1/2"×1"	1 1/2"×1 1/4"	2"×1/4"	2"×3/8"
d	1"	1 1/4"	1/4"	3/8"
d1	1 1/2"	1 1/2"	2"	2"
A	50.0	50.0	62.0	62.0
L	32.0	32.0	35.5	35.5

SIZE SPEC	2"×1/2"	2"×3/4"	2"×1"	2"×1 1/4"	2"×1 1/2"
d	1/2"	3/4"	1"	1 1/4"	1 1/2"
d1	2"	2"	2"	2"	2"
A	62.0	62.0	62.0	62.0	62.0
L	35.5	35.5	35.5	35.5	35.5



首龍工業股份有限公司
SOWLONG INDUSTRIAL . CO.,LTD.

經銷商

臺灣總公司

TAIWAN COMPANY

地址：嘉義縣民雄工業區中山路40號

ADD: NO.40 Zhongshan Road, Ming Shung
Industrial District, Chiayi, Taiwan, R.O.C

電話 TEL: 05-2215962 2215963

傳真 FAX: 05-2214361 2215965

E-mail: sowlong3@hotmail.com

<http://www.sowlong.com.tw>

